PRODUCT DESCRIPTION

Isuzu Telescopic Boom Manlift Truck Single row cab and double row cab









PRODUCT DETAILS



1.Outrigger:

The front V-shaped and rear H-shaped outrigger has good stability, which can be operated at the same time or independently to work in various conditions.



2. Electrical system adopts CAN bus control system, which is neat and simple. Three operation methods: electric control on the truck(simple and intelligent operation), remote control(more convenient to observe the working condition), manual operation on turntable(equipped with emergency operating system, more safe).







electric control on the truck

manual operation on turntable

remote control



3. The outrigger operation box is equipped with lighting, which is convenient for working at night.

Leveler is equipped to ensure the vehicle level and safety





4. Controlled by computer which has the functions of automatic limiting amplitude movement and alarming dangerous work, with excellent safety performance,

The computer displays the working conditions of the vehicle in real time





5. Telescopic boom, compact structure, high efficiency, wide range of operation. Telescopic cylinder is built-in type and steel wire telescopic mechanism, hydraulic oil pipe is external type, it is easier to observe the fault location, convenient for maintenance





6. Rotary mechanism is adjustable, which is convenient to adjust



7. Stainless steel fence and anti-skid walking board,
Basket 360 degree continuous rotation which is flexible and convenient work, safe and reliable



